According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid® AF wipes No Change Service!

Version	Revision Date:	Date of last issue: 26.08.2022
05.15	13.11.2023	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: mikrozid® AF wipes
Unique Formula Identifier	: 5800-P0VS-N00A-TKK9
(UFI)	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	Disinfectants and general biocidal products
stance/Mixture		

1.3 Details of the supplier of the safety data sheet

Producer :	Schülke & Mayr GmbH Robert-Koch-Str. 2
	22851 Norderstedt Germany Telephone: +49 (0)40/ 52100-0 Telefax: +49 (0)40/ 52100318 mail@schuelke.com www.schuelke.com
Supplier :	Schülke & Mayr UK Ltd. Cygnet House 1, Jenkin Road
	Sheffield S9 1AT United Kingdom Telephone: +44 114 254 35 00 Telefax: +44 114 254 35 01 mail.uk@schulke.com
E-mail address of person : responsible for the SDS/Contact person	Application Specialists +49 (0)40/ 521 00 666 AD@schuelke.com

1.4 Emergency telephone number

Emergency telephone num-	:	Carechem 24 International:+44 1235 239670
ber		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

mikrozid® AF wipes No Change Service!

Version 05.15	Revision Date: 13.11.2023	Date of last issue: 26.08.2022

Specific target organ toxicity - single exposure, Category 3, Central nervous system

H336: May cause drowsiness or dizziness.

schülke ->

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :	:		
Signal word :	:	Warning	
Hazard statements :	:	H226 Flammable liquid and vapour.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.	
Precautionary statements :	:	P102 Keep out of reach of children.	
		Prevention:P210Keep away from heat, hot surfaces, sparks, openflames and other ignition sources. No smoking.P280Wear protective gloves/ eye protection.	
		Response:	
		 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. 	

Hazardous components which must be listed on the label: propan-1-ol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Has a degreasing effect on the skin.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Aqueous, alcohol containing solution on non-woven

Hazardous components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Index-No.		
Registration number		
71-23-8	Flam. Lig. 2; H225	>= 30 - < 50
	EC-No. Index-No. Registration number	EC-No. Index-No. Registration number

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 05.15	Revision Date: 13.11.2023	Date of last issue: 26.08.2022		
		200-746-9 603-003-00-0 01-2119486761-29- XXXX	Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system)	
ethanol		64-17-5 200-578-6 603-002-00-5 01-2119457610-43- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4	: First aid	measures
------------------	-------------	----------

.1 Description of first aid me	
If inhaled	: If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. If skin irritation persists, call a physician.
In case of eye contact	: Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention.
If swallowed	: If accidentally swallowed obtain immediate medical attention.
2 Most important symptom	s and effects, both acute and delayed
Symptoms	: Treat symptomatically.
Risks	: Causes serious eye irritation.
	May cause drowsiness or dizziness.
3 Indication of any immedia	ate medical attention and special treatment needed
Treatment	: For specialist advice physicians should contact the Poisons Information Service.

5.1 Extinguishing media		
Suitable extinguishing media	:	Dry powder Alcohol-resistant foam Carbon dioxide (CO2) Water spray jet
Unsuitable extinguishing media	:	Foam Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Cool closed containers exposed to fire with water spray. fighting



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid®AF wiVersionRevis05.1513.11	ion Date:	Date of last issue: 26.08.2022
Hazardous combust ucts	ion prod- :	No hazardous combustion products are known
5.3 Advice for firefighte Special protective en for firefighters		In the event of fire, wear self-contained breathing apparatus.
SECTION 6: Accident	al release r	neasures
6.1 Personal precautior	ns, protectiv	e equipment and emergency procedures
Personal precaution	s :	Remove all sources of ignition. Avoid contact with eyes.
6.2 Environmental prec	autions	
Environmental preca	autions :	No special environmental precautions required.
6.3 Methods and materi	al for contai	nment and cleaning up
Methods for cleaning	g up :	Use mechanical handling equipment.
6.4 Reference to other s see Section 8 + 13	sections	
SECTION 7: Handling	and stora	
		je
_		
7.1 Precautions for safe Advice on safe hand Advice on protection fire and explosion	e handling	Wear personal protective equipment. Keep away from sources of ignition - No smoking.
7.1 Precautions for safe Advice on safe hanc Advice on protectior	e handling	Wear personal protective equipment.
7.1 Precautions for safe Advice on safe hand Advice on protection fire and explosion Hygiene measures	e handling Iling : n against :	Wear personal protective equipment. Keep away from sources of ignition - No smoking.
7.1 Precautions for safe Advice on safe hand Advice on protection fire and explosion Hygiene measures	e handling : Iling : against : storage, inc orage :	Wear personal protective equipment. Keep away from sources of ignition - No smoking. Keep away from food and drink.
 7.1 Precautions for safe Advice on safe hand Advice on protection fire and explosion Hygiene measures 7.2 Conditions for safe Requirements for stafe 	e handling Iling : n against : storage, inc orage : s	Wear personal protective equipment. Keep away from sources of ignition - No smoking. Keep away from food and drink. Iuding any incompatibilities

7.3 Specific end use(s)

Specific use(s) : none

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

mikrozid® AF wipes No Change Service!

Version	Revision Date:	Date of last issue: 26.08.2022
05.15	13.11.2023	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis		
		of exposure)				
propan-1-ol	71-23-8	STEL	250 ppm	GB EH40		
			625 mg/m3			
	Further infor	mation: Can be absor	bed through the skin. The as	signed sub-		
			are concerns that dermal abs			
	lead to syste	lead to systemic toxicity.				
		TWA	200 ppm	GB EH40		
			500 mg/m3			
	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will					
	lead to syste	lead to systemic toxicity.				
ethanol	64-17-5	TWA	1,000 ppm	GB EH40		
			1,920 mg/m3			

schülke ->

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
propan-1-ol	Workers	Skin contact	Long-term systemic effects	136 mg/kg
	Workers	Inhalation	Long-term systemic effects	268 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	1723 mg/m3
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m3

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
propan-1-ol	Fresh water	6.83 mg/l
	Soil	1.49 mg/kg
	Marine sediment	2.75 mg/kg
	Fresh water sediment	27.5 mg/kg
	Marine water	0.983 mg/l
ethanol	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Fresh water sediment	3.6 mg/kg
	Soil	0.63 mg/kg
	Marine sediment	2.9 mg/kg
	Sewage treatment plant	580 mg/l

8.2 Exposure controls

Personal protective equipment

Hand protection

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

mikrozid® AF wipes		No Change Service!		
Version 05.15	Revision Date: 13.11.2023	Date of last issue: 26.08.2022		
Remar	ks	: Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120		
		Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protec- tion.		
Respirator	y protection	 No personal respiratory protective equipment normally re- quired. 		
Protective	measures	: Avoid contact with skin and eyes.		

schülke ->

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	Aqueous, alcohol containing solution on non-woven colourless alcohol-like not determined
рН	:	Not applicable
Melting point/freezing point	:	< -5 °C of the active solution
Decomposition temperature		No data available
Boiling point/boiling range	:	ca. 80 °Cof the active solution
Flash point	:	27 °C Method: DIN 51755 Part 1 of the active solution
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	17.5 %(V) Raw material
Lower explosion limit / Lower flammability limit	:	2.1 %(V) Raw material
Vapour pressure	:	ca. 50 hPa (20 °C) of the active solution
Relative vapour density	:	No data available
Density	:	ca. 0.89 g/cm3 (20 °C) of the active solution
Solubility(ies) Water solubility	:	completely soluble (20 °C)
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	
Z11091_02 ZSDB_P_GB EN		Page 6/17

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

mikrozid®AF wipesVersionRevision Date:05.1513.11.2023	No Change Service! Date of last issue: 26.08.2022
	Raw material
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: not determined
Flow time	: < 15 s at 20 °C Method: DIN 53211 of the active solution
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
9.2 Other information Flammability (liquids)	: Flammable liquid and vapour. Remarks: of the active solution
Metal corrosion rate	: None reasonably foreseeable.
Self-ignition	: No data available

schülke ->

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

None reasonably foreseeable.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid® AF wipes No Change Service!

Version	Revision Date:	Date of last issue: 26.08.2022
05.15	13.11.2023	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

propan-1-ol:		
Acute oral toxicity	:	LD50 (Rat): ca. 8,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 33.8 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): 4,032 mg/kg Method: literature value
ethanol:		
Acute oral toxicity	:	LD50 (Mouse): 8,300 mg/kg
Acute inhalation toxicity	:	LC50 (Mouse): 39 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): 20,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

propan-1-ol:

Species	:	Rabbit
Result	:	No skin irritation

ethanol:

Species Method Result	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

:	Expert judgement irritating The toxicological data has been taken from products of similar composition
	composition.
	:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid[®] AF wipes

Version	Revisi
05.15	13.11.

No Change Service!

Version	Revision Date:	Date of last issue: 26.08.2022
05.15	13.11.2023	

Components:

propan-1-ol:

Species Result	:	Rabbit
Result	:	Irreversible effects on the eye

ethanol:

Method Result	:	OECD Test Guideline 405
Result	:	Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

propan-1-ol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Test Type Species Method Result	:	Does not cause skin sensitisation.

ethanol:

Test Type:Species:Method:Result:	Maximisation Test
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

propan-1-ol: Germ cell mutagenicity- As- sessment	:	Not mutagenic in Ames Test
ethanol:		
Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test
Genotoxicity in vivo	:	Result: Non mutagenic
Germ cell mutagenicity- As- sessment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ersion 5.15	Revision Date: 13.11.2023		Date of last issue: 26.08.2022
Carcinoger Not classifie	nicity ed based on availa	ble	information.
<u>Componen</u>	<u>ts:</u>		
propan-1-o	l:		
Carcinogeni ment	icity - Assess-	:	Animal testing did not show any carcinogenic effects.
ethanol:			
Carcinogeni ment	icity - Assess-	:	Did not show carcinogenic effects in animal experiments.
Reproducti	ve toxicity		
Not classifie	ed based on availa	ble	information.
<u>Componen</u>	<u>ts:</u>		
propan-1-o	l:		
	petal develop-	:	Species: Rat
ment			Application Route: inhalation (vapour) General Toxicity Maternal: NOAEL: 8.6 mg/l
Reproductiv sessment	e toxicity - As-	:	Animal testing did not show any effects on fertility.
ethanol:			
Effects on fo ment	oetal develop-	:	Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight
Reproductiv sessment	e toxicity - As-	:	Animal experiments showed mutagenic and teratogenic effects.
STOT - sing	gle exposure		
May cause	drowsiness or dizz	ine	SS.
<u>Componen</u>	<u>ts:</u>		
propan-1-o	l:		
Assessmen	t	:	May cause drowsiness or dizziness.
ethanol:			
Remarks		:	No data available
STOT - rep	eated exposure		
Not classifie	ed based on availa	ble	information.
<u>Componen</u>	<u>ts:</u>		
propan-1-o	l:		
Assessmen	t	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid® AF wipes No Change Service!

Version	Revision Date:	Date of last issue: 26.08.2022
05.15	13.11.2023	

ethanol:

Remarks

: No data available

Repeated dose toxicity

Components:

ethanol:

Species	:	Rat
NOAEL	:	1,730 mg/kg
LOAEL	:	3,160 mg/kg
Application Route	:	Oral
Species NOAEL LOAEL Application Route Exposure time	:	90 d

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: No data is available on the product itself.

SECTION 12: Ecological information

12.1 Toxicity

Components:

propan-1-ol:

Toxicity to fish	:	LC50 (Fish): 3,200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3,642 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to algae/aquatic plants	:	NOEC (Chlorella pyrenoidosa (algae)): 1,150 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		NOEC: 68.3 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials
ethanol:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 5,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic	:	IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l
091_02 ZSDB_P_GB EN		Page 11/17

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ersion 5.15	Revision Date: 13.11.2023	Date of last issue: 26.08.2022
plants		Exposure time: 72 h
2.2 Persister	nce and degradabilit	y
Product:		
Biodegrad	lability	: Result: Readily biodegradable. Method: OECD 301D / EEC 84/449 C6 Remarks: of the active solution
Compone	ents:	
propan-1	-ol:	
Biodegrad	lability	 Test Type: aerobic Result: Readily biodegradable. Biodegradation: 75 % Exposure time: 20 d
ethanol:		
Biodegrad	dability	 Test Type: aerobic Result: Readily biodegradable. Biodegradation: > 70 % Exposure time: 5 d Method: OECD 301D / EEC 84/449 C6
2.3 Bioaccur	nulative potential	
Compone	ents:	
propan-1	-ol:	
Bioaccum	ulation	: Bioconcentration factor (BCF): 0.88 Remarks: Bioaccumulation is unlikely.
Partition of octanol/wa	coefficient: n- ater	: log Pow: 0.2 (25 °C) Method: OECD Test Guideline 117
ethanol:		
Bioaccum	ulation	: Remarks: Bioaccumulation is unlikely.
Partition of octanol/wa	coefficient: n- ater	: log Pow: -0.14 Method: Calculated value
II 2.4 Mobility i	in soil	
<u>Compone</u>	ents:	
propan-1 Mobility	-ol:	: Remarks: Mobile in soils
ethanol:		
Mobility		: Remarks: No data available
11091 02 75	DB P GB EN	Page 12/17

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid® AF wipes No Change Service!

Version	Revision Date:	Date of last issue: 26.08.2022
05.15	13.11.2023	

12.5 Results of PBT and vPvB assessment

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:		
Endocrine disrupting poten- tial	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
Additional ecological infor-	:	levels of 0.1% or higher. This product has no known ecotoxicological effects.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Can be incinerated or landfilled together with household waste in compliance with the regulations, and after consultation with the waste disposal services.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number			
ADR	:	UN 3175	
IMDG	:	UN 3175	
ΙΑΤΑ	:	UN 3175	
14.2 UN proper shipping name			
ADR	:	SOLIDS CONTAIN (propan-1-ol, ethan	ING FLAMMABLE LIQUID, N.O.S. ol)
IMDG	:	SOLIDS CONTAIN (propan-1-ol, ethan	ING FLAMMABLE LIQUID, N.O.S. ol)
ΙΑΤΑ	:	Solids containing fla (propan-1-ol, ethan	ammable liquid, n.o.s. ol)
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	4.1	
Z11091_02 ZSDB_P_GB EN		Page 13/17	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mi	krozid® AF wipes	No	o Change Service!
-	rsion Revision Date:		Date of last issue: 26.08.2022
05.	15 13.11.2023		
	IMDG	:	4.1
	ΙΑΤΑ	:	4.1
14.4	Packing group		
	ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	II F1 40 4.1 (E)
	IMDG Packing group Labels EmS Code	:	ll 4.1 F-A, S-I
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	448 Y441 II Flammable solid
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	445 Y441 II Flammable solid
14.	5 Environmental hazards		
	ADR Environmentally hazardous	:	no
	IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

Transport in accordance to special provision 216

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)

: Conditions of restriction for the following entries should be considered: Number on list 3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid® AF wipes No Change Service!

Version 05.15	Revision Date: 13.11.2023	Date of last issue: 26.08.2022

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-	Not applicableNot applicable
ain) Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer UK REACH List of substances subject to authorisation (Annex XIV)	Not applicableNot applicable
Volatile organic compounds : Directive 2010/75/EU emissions (integrated	of 24 November 2010 on industrial pollution prevention and control) ounds (VOC) content: 46.70 %

according to Detergents	:	Other constituents: Perfumes
Regulation EC 648/2004		

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	All components are listed on the inventory, regulatory obliga- tions/restrictions apply
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

SECTION 16: Other informationFull text of H-Statements

H225	: Highly flammable liquid and vapour.
H318	: Causes serious eye damage.
Z11091_02 ZSDB_P_GB EN	Page 15/17

GB EH40 GB EH40 / TWA

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

:



<i>mikrozid</i> ® Version	Revision Date:	No	Change Service! Date of last issue: 26.08.2022	
05.15	13.11.2023			
H319 H336			Causes serious eye irritation. May cause drowsiness or dizziness.	
Full text of other abbreviations				
Eye Dam. Eye Irrit. Flam. Liq. STOT SE		:	Serious eye damage Eye irritation Flammable liquids Specific target organ toxicity - single exposure	

Short-term exposure limit (15-minute reference period) GB EH40 / STEL : ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrving Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

: UK. EH40 WEL - Workplace Exposure Limits

Long-term exposure limit (8-hour TWA reference period)

Further information

Classification of th	e mixture:	Classification procedure:	
Flam. Liq. 3	H226	Based on product data or assessment	
Eye Irrit. 2	H319	Based on product data or assessment	
STOT SE 3	H336	Calculation method	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



mikrozid® AF wipes No Change Service!

Version	Revision Date:	Date of last issue: 26.08.2022
05.15	13.11.2023	

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.