

according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

egger LP/H Modellierpaste beige

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

E-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

1.4. Emergency telephone +1-800-424-9300 (CHEMTREC worldwide)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate aliphatic urethane acrylate

Triethylene glycol dimethacrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Signal word: Warning

Pictograms:





Hazard statements

H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with local and national regulations.



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 2 of 11

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | | |
|--------------|---------------------------------------|------------------------------------|--------------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (Regulation (EC) No | 1272/2008) | - | | |
| 72869-86-4 | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo- | -3,14-dioxa-5,12-diazahexadecane-1 | ,16-diyl bismethacrylate | 30 - < 80 % | |
| | 276-957-5 | | 01-2120751202-68 | | |
| | Skin Sens. 1B, Aquatic Chronic 2; H | H317 H411 | | | |
| 2143103-44-8 | aliphatic urethane acrylate | | | 1 - < 10 % | |
| | 944-336-4 | | 01-2120266262-60 | | |
| | Skin Sens. 1B, Aquatic Chronic 3; H | | | | |
| 109-16-0 | Triethylene glycol dimethacrylate | | 1 - < 10 % | | |
| | 203-652-6 | | 01-2119969287-21 | | |
| | Skin Sens. 1B; H317 | | | | |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)pho | osphine oxide | | 0.1 - < 5 % | |
| | 278-355-8 | 015-203-00-X | 01-2119972295-29 | | |
| | Repr. 2, Skin Sens. 1B, Aquatic Ch | | | | |
| 21245-02-3 | 2-Ethylhexyl 4-(dimethylamino)benz | | 0.1 - < 5 % | | |
| | 244-289-3 | | 01-2120766649-35 | | |
| | Repr. 1B; H360 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | |
|--------------|---------------------------|--|-------------|--|--|
| | Specific Conc. I | Limits, M-factors and ATE | | | |
| 72869-86-4 | 276-957-5 | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | 30 - < 80 % | | |
| | dermal: LD50 = | = >2000 mg/kg; oral: LD50 = >5000 mg/kg | | | |
| 2143103-44-8 | 944-336-4 | aliphatic urethane acrylate | 1 - < 10 % | | |
| | oral: LD50 = >5 | mg/kg | | | |
| 109-16-0 | 203-652-6 | Triethylene glycol dimethacrylate | 1 - < 10 % | | |
| | oral: LD50 = 10 | mg/kg | | | |
| 75980-60-8 | 278-355-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 0.1 - < 5 % | | |
| | dermal: LD50 = | 2000 mg/kg; oral: LD50 = >5000 mg/kg | | | |
| 21245-02-3 | 244-289-3 | 2-Ethylhexyl 4-(dimethylamino)benzoate | 0.1 - < 5 % | | |
| | oral: LD50 = 14,900 mg/kg | | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

DETAX GmbH



Safety Data Sheet

according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 3 of 11

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 4 of 11

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

7.3. Specific end use(s)

For use by trained specialist personnel.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Name of agent | | | |
|--------------------------|---|----------------|----------|------------------------|
| DNEL type | | Exposure route | Effect | Value |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | | | |
| Worker DNEL, | long-term | inhalation | systemic | 0,822 mg/m³ |
| Worker DNEL, long-term | | dermal | systemic | 0,233 mg/kg bw/day |
| Consumer DN | EL, long-term | inhalation | systemic | 0,145 mg/m³ |
| Consumer DNEL, long-term | | dermal | systemic | 0,0833 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 0,0833 mg/kg bw/day |

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Butyl caoutchouc (butyl rubber)

Skin protection

. Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste , Colour: beige

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 5 of 11

Flammability:

not applicable

not applicable

Lower explosion limits:

not determined

Upper explosion limits:

not determined

Flash point: >100 °C DIN 51755

Decomposition temperature: >=190 °C pH-Value: not determined Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,25-1,35 g/cm³ DIN 51757

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidizing.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.4. Conditions to avoid

The product hardens under the influence of visible UV light. Therefore, store in closed containers in complete exclusion of light at 15°C - 25°C.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 6 of 11

| CAS No | Chemical name | Chemical name | | | | |
|------------------|-----------------------------------|----------------------|-----------------|----------------|------------------------------------|----------|
| | Exposure route | Dose | Species | | Source | Method |
| 72869-86-4 | 7,7,9(or 7,9,9)-trimethyl-4 | ,13-dioxo-3,14-diox | a-5,12-diazahex | adecane-1,16-c | diyl bismethacrylate | |
| | oral | LD50 >5000 mg/kg | Rat | | OECD 401 | |
| | dermal | LD50 >2000 mg/kg | Rat | | OECD 402 | |
| 2143103-44- 8 | aliphatic urethane acrylate | 9 | | | | |
| | oral | LD50 >5000 mg/kg | Ratte | | Lieferanten-Sicherheit sdatenblatt | OECD 401 |
| 109-16-0 | Triethylene glycol dimethacrylate | | | | | |
| | oral | LD50 10800 mg/kg | Rat | | GESTIS | |
| 75980-60-8 | diphenyl(2,4,6-trimethylbe | enzoyl)phosphine ox | ride | | | |
| | oral | LD50 >5000 mg/kg | Rat | | | |
| | dermal | LD50 >2000 mg/kg | Rat | | | |
| 21245-02-3 | 2-Ethylhexyl 4-(dimethyla | mino)benzoate | | | | |
| | oral | LD50 14,900 mg/kg |) Rat | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; aliphatic urethane acrylate;

Triethylene glycol dimethacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 7 of 11

| CAS No | Chemical name | | | | | | | |
|------------------|--|----------------|---------|-----------|-----------------------------------|------------------|----------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 72869-86-4 | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 10,1 | 96 h | | | OECD 203 | |
| | Acute algae toxicity | ErC50 mg/l | 0,21 | 72 h | | | OECD 201 | |
| | Acute crustacea toxicity | EC50 mg/l | >1,2 | 48 h | Daphnia magna (Big water flea) | OECD 202 | | |
| 2143103-44- 8 | aliphatic urethane acrylate | e | | | | | | |
| | Acute fish toxicity | LC50 | 18 mg/l | 96 h | Oncorhynchus mykiss | Lieferanten-SDB | OECD 203 | |
| | Acute crustacea toxicity | EC50 mg/l | 15.9 | 48 h | Daphnia magna | Lieferanten-SDB | OECD 202 | |
| | Acute bacteria toxicity | (EC50 mg/l) | 25.4 | | Pseudokirchneriella subcapitata | Lieferantern-SDB | OECD 201 | |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | | | | | | | |
| | Acute algae toxicity | ErC50 mg/l | >2,01 | 72 h | Pseudokirchneriella subcapitata | | | |
| | Acute crustacea toxicity | EC50 mg/l | 3,53 | 48 h | Daphnia magna (Big water flea) | | | |
| | Acute bacteria toxicity | (EC50 mg/l) | >1000 | 3 h | Activated sludge | | | |
| 21245-02-3 | 2-Ethylhexyl 4-(dimethyla | mino)benzo | ate | | | | | |
| | Acute fish toxicity | LC50 mg/l | 0,235 | 96 h | QSAR | | | |
| | Acute algae toxicity | ErC50 mg/l | <0,015 | 72 h | Pseudokirchneriella subcapitata | | | |
| | Acute crustacea toxicity | EC50 mg/l | >0,031 | 48 h | Daphnia magna (Big water flea) | | | |
| | Acute bacteria toxicity | (EC50 mg/l) | 1000 | 3 h | Activated sludge | | | |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | | | |
|------------|--|-------|----|--------|--|--|
| | Method | Value | d | Source | | |
| | Evaluation | - | | • | | |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | | | | | |
| | | 0-10% | 28 | | | |
| | Not readily biodegradable (according to OECD criteria) | | | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|---------|
| | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | 3,39 |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 3,1 |



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 8 of 11

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---|-----|----------------------------------|--------|
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide | | Cyprinus carpio (Common Carp) | |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity:5 LExcepted quantity:E1Transport category:3Hazard No:90Tunnel restriction code:-

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 9 of 11

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A. S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

E2 Hazardous to the Aquatic Environment

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 10 of 11

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

Skin Sens: Skin sensitisation Repr: Reproductive toxicity

Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Skin Sens. 1; H317 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.
H360 May damage fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible





according to Regulation (EC) No 1907/2006

egger LP/H Modellierpaste beige

Revision date: 16.11.2023 Product code: 10822 Page 11 of 11

for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)