

# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

egger LP/H modelling paste - red, blue, transparent

red UFI: GT8V-Y91Y-Q007-CFQU blue UFI: 2W8V-F9RD-000Q-1TA1 transparent UFI: QKDV-79EF-6000-GGCV

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture

Ligth curing modeling paste for use in audiology.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor: egger Otoplastik+Labortechnik GmbH

Street/POB-No.: Aybühlweg 59

Postal code/city/country: 87439 Kempten/Germany

 Telephone:
 +49 831 58113-60

 Telefax:
 +49 831 58113-14

 Internet:
 www.eggeronline.com

 E-mail:
 sales@eggeronline.com

# 1.4. Emergency telephone number: +49 89 19240

Emergency number: Munich, Germany, (Toxicological Dep. of the II. Med. Hospital)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EG) Nr. 1272/2008

Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Regulation (EC) No. 1272/2008 Hazard components for labelling

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Signal word: Warning

#### Pictograms:





#### **Hazard statements**

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 2 of 11

#### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container to according to local and applicable legislation of dispose of waste.

#### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of acrylic/methacrylic resins with auxilliary matters.

### **Hazardous components**

CAS No	Chemical name			Quantity	
	EC no	Index No	REACH No		
	Classification (Regulation (EG) N	Nr. 1272/2008)			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate			30 - < 75 %	
	276-957-5		01-2120751202-68		
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			< 1 %	
	278-355-8	015-203-00-X	01-2119972295-29		
	Repr. 2, Skin Sens. 1B, Aquatic Chronic 2; H361 H317 H411				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
72869-86-4	276-957-5	5 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl 30 - < 75 % bismethacrylate			
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg				
75980-60-8	278-355-8	278-355-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide 0.1 - <			
	dermal: LD50	) = >2000 mg/kg; oral: LD50 = >5000 mg/kg			



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 3 of 11

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 4 of 11

# 6.3. Methods and material for containment and cleaning up Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

#### Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

# Further information on storage conditions

Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on teh presence of oxygen (air).

#### 7.3. Specific end use(s)

Ligth curing material for repair and modeling of earmoulds.

For use by trained specialist staff.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
Worker DNEL,	long-term	inhalation	systemic	0,822 mg/m³
Worker DNEL, long-term		dermal	systemic	0,233 mg/kg bw/day



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 5 of 11

Consumer DNEL, long-term	inhalation	systemic	0,145 mg/m³
Consumer DNEL, long-term	dermal	systemic	0,0833 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,0833 mg/kg bw/day

#### 8.2. Exposure controls

Individual protection measures, such as personal protective equipment Eye/face protection

Wear eye/face protection.

#### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: paste, low-viscosity

Colour: several shades, according to the product name

Odour: faintly like esters

		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	not determined	
Flammability:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	>100 °C	DIN 51755
Decomposition temperature:	>=190 °C	
pH-Value:	not determined	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C)	<1 hPa	
Density (at 20 °C):	1,25-1,35 g/cm³	DIN 51757
Relative vapour density:	not determined	



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 6 of 11

#### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties

Not oxidizing.

#### Other safety characteristics

Evaporation rate: not determined Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Reacts with: strong oxidising agents, strong alcaline or acidic materials.

#### 10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth. Keep in a refrigerator at 2°C - 25°C / 36°F - 77 °F.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l





# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
72869-86-4	7,7,9(or 7,9,9)-trime	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate				
	oral	LD50 >5000 mg/kg	Rat	OECD 401		
	dermal	LD50 >2000 mg/kg	Rat	OECD 402		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
	oral	LD50 >5000 mg/kg	Rat			
	dermal	LD50 >2000 mg/kg	Rat			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction.

(7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxixity	Dose	[h]   [d]	Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate					
	Acute fish toxicity	LC50 10.1 mg/l	96 h			OECD 203
	Acute algae toxicity	ErC50 0.21 mg/l	72 h			OECD 201
	Acute crustacea toxicity	EC50 >1.2 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
75980-60-8	diphenyl(2,4,6-trimethyll	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 8 of 11

Acute algae toxicity	ErC50 >2.01 mg/l	72 h	Pseudokirchneriella subcapitata	
Acute crustacea toxicity	EC50 3.53 mg/l	48 h	Daphnia magna (Big water flea)	
Acute bacteria toxicity	(EC50 >1000 mg/l)	3 h	Activated sludge	

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
75980-60-8	diphenyl(2,4,6-trimethylbenzoy	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		
		0-10 %	28	
	Not readily biodegradable (according to OECD criteria).			*

# 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	No Chemical name	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3.1

# BCF

CAS No	Chemical name		Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	47-55	Cyprinus carpio (Common Carp)	

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. Not identivied as PBT/ vPvB substances.

#### 12.6. Other adverse effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 9 of 11

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L Excepted quantity: E1

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 10 of 11

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

**14.3. Transport hazard class(es):** 9 **14.4. Packing group:** III
Hazard label: 9

Special Provisions: A97 A158 A197
Limited quantity Passenger: 30 kg G
Passenger LQ: Y964
Excepted quantity: E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75

Information according to 2012/18/EU

(SEVESO III): E2 Hazardous to the Aquatic Environment

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the ,juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 %

LD50: Lethal dose, 50 %



# Product Name: egger LP/H modelling paste, red, blue, transparent

REF: 29610, 29615, 30800

Date of print: 06.11.2023 Date of last alteration: 06.11.2023



Page 11 of 11

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50 % EL50: Effect loading, 50 %

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk ContainerSVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Skin Sens: Skin sensitisation Repr: Reproductive toxicity

Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation(EG) Nr. 1272/2008

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.H361 Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)