



Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Biopor AB fluoreszent Comp. A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

A-silicone for the production of earmolds

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no.

+49 2303 8807-0

Fax no.

+49 2303 8807-29

Information provided

Department Research &amp; Development: Fax: +49 2303 8807-562

by / telephone

E-mail address of

sicherheitsdatenblatt@dreve.de

person responsible

for this SDS

### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Supplemental information

EUH210

Safety data sheet available on request.

### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures



Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

### Chemical characterization

Addition-vulcanising 2-component silicone

### Hazardous ingredients

#### Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics

EINECS no. 920-114-2

Registration no. 01-2119459347-30

Concentration  $\geq 1$  < 10 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

No special measures required

#### After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

#### After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings

#### Non suitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.



Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

#### Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

#### Advice on protection against fire and explosion

No special measures required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Hints on storage assembly

Do not store together with foodstuffs.

#### Further information on storage conditions

Keep container tightly closed and dry.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limit values

##### Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics

List	TRGS 900	
Type	AGW	
Value	300	mg/m <sup>3</sup>



Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

Short term exposure limit 600 mg/m<sup>3</sup>**Other information**

Contains no substances with occupational exposure limit values.

**8.2. Exposure controls****General protective and hygiene measures**

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time.  
Wash hands before breaks and after work. Avoid contact with eyes.

**Respiratory protection**

Not necessary.

**Hand protection**

Not necessary.

**Eye protection**

Not necessary.

**Body protection**

Clothing as usual in the chemical industry.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	liquid, viscous	
<b>Colour</b>	white	
<b>Odour</b>	characteristic	
<b>Melting point</b>		
Remarks	not determined	
<b>Freezing point</b>		
Remarks	not determined	
<b>Boiling point or initial boiling point and boiling range</b>		
Value	> 300	°C
<b>Flammability</b>		
evaluation	not determined	
<b>Upper and lower explosive limits</b>		
Remarks	not determined	
<b>Flash point</b>		
Value	> 110	°C
Method	closed cup	
<b>Ignition temperature</b>		
Remarks	not determined	
<b>Decomposition temperature</b>		
Remarks	not determined	
<b>pH value</b>		
Remarks	not determined	
<b>Viscosity</b>		
Remarks	not determined	
<b>Solubility(ies)</b>		



Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

Remarks not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Vapour pressure**

Remarks not determined

**Density and/or relative density**

Value	0,96		g/cm <sup>3</sup>
Temperature	20	°C	

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**



Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rat	
LD50	> 5000	mg/kg
Method	OECD 401	
Remarks	Test conducted with a similar formulation.	

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rabbit	
LD50	> 3160	mg/kg
Method	OECD 402	

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute inhalative toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rat	
LC50	> 5266	mg/m <sup>3</sup>
Duration of exposure	4	h
Administration/Form	Dust/Mist	
Method	OECD 403	

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Aspiration hazard (Components)**

Trade name: Biopor AB fluorescent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Harmful: may cause lung damage if swallowed.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Other information**

No toxicological data are available.

**SECTION 12: Ecological information****12.1. Toxicity****General information**

not determined

**Fish toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rainbow trout ( <i>Oncorhynchus mykiss</i> )	
NOELR	> 1000	mg/l
Duration of exposure	28	d
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Daphnia toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	<i>Acartia tonsa</i>	
LL50	> 3193	mg/l
Duration of exposure	48	h
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	<i>Daphnia magna</i>	
NOELR	5	mg/l
Duration of exposure	21	d
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Algae toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	<i>Skeletonema costatum</i>	
EL50	> 3200	mg/l
Duration of exposure	72	h
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Bacteria toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	activated sludge	
EC50	> 100	mg/l
Duration of exposure	3	h
Method	OECD 209	

**12.2. Persistence and degradability****General information**

not determined

**Biodegradability (Components)**



Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Value 74 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

**12.3. Bioaccumulative potential****General information**

not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Octanol/water partition coefficient (log Pow) (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

log Pow 5,22 to 9,67

Temperature 20 °C

**12.4. Mobility in soil****General information**

not determined

**12.5. Results of PBT and vPvB assessment****General information**

not determined

**Results of PBT and vPvB assessment**

The product contains no PBT substances

The product contains no vPvB substances.

**12.6 Endocrine disrupting properties****Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects****General information**

not determined

**General information / ecology**

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.





Trade name: Biopor AB fluoreszent Comp. A

Substance number: S0005

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
<b>14.1. UN number or ID number</b>	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
<b>14.2. UN proper shipping name</b>	-	-	-
<b>14.3. Transport hazard class(es)</b>		-	-
Label			
<b>14.4. Packing group</b>		-	-

**SECTION 15: Regulatory information****15.2. Chemical safety assessment**

For this preparation a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Hazard statements listed in Chapter 2/3**

H304 May be fatal if swallowed and enters airways.

**CLP categories listed in Chapter 2/3**

Asp. Tox. 1 Aspiration hazard, Category 1

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
 This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.



Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Biopor AB fluoreszent Comp. B

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

A-silicone for the production of earmolds

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no.

+49 2303 8807-0

Fax no.

+49 2303 8807-29

Information provided

Department Research &amp; Development: Fax: +49 2303 8807-562

by / telephone

E-mail address of

sicherheitsdatenblatt@dreve.de

person responsible

for this SDS

### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Supplemental information

EUH210

Safety data sheet available on request.

### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures



Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**Chemical characterization**

Addition-vulcanising 2-component silicone

**Hazardous ingredients****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

EINECS no.	920-114-2				
Registration no.	01-2119459347-30				
Concentration	>=	1	<	10	%
Classification (Regulation (EC) No. 1272/2008)					
	Asp. Tox. 1			H304	

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

No special measures required

**After inhalation**

Ensure supply of fresh air. In the event of symptoms take medical treatment.

**After skin contact**

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

**After ingestion**

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

**Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

**4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

**4.3. Indication of any immediate medical attention and special treatment needed****Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings**Non suitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of combustion evolution of dangerous gases possible.



Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

#### Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

#### Advice on protection against fire and explosion

No special measures required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Hints on storage assembly

Do not store together with foodstuffs.

#### Further information on storage conditions

Keep container tightly closed and dry.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limit values

##### Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics

List	TRGS 900	
Type	AGW	
Value	300	mg/m <sup>3</sup>



Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

Short term exposure limit 600 mg/m<sup>3</sup>**Other information**

Contains no substances with occupational exposure limit values.

**8.2. Exposure controls****General protective and hygiene measures**

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time.  
Wash hands before breaks and after work. Avoid contact with eyes.

**Respiratory protection**

Not necessary.

**Hand protection**

Not necessary.

**Eye protection**

Not necessary.

**Body protection**

Clothing as usual in the chemical industry.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	liquid, viscous	
<b>Colour</b>	Various, depending on coloration	
<b>Odour</b>	characteristic	
<b>Melting point</b>		
Remarks	not determined	
<b>Freezing point</b>		
Remarks	not determined	
<b>Boiling point or initial boiling point and boiling range</b>		
Value	> 300	°C
<b>Flammability</b>		
evaluation	not determined	
<b>Upper and lower explosive limits</b>		
Remarks	not determined	
<b>Flash point</b>		
Value	> 100	°C
Method	closed cup	
<b>Ignition temperature</b>		
Remarks	not determined	
<b>Decomposition temperature</b>		
Remarks	not determined	
<b>pH value</b>		
Remarks	not determined	
<b>Viscosity</b>		
Remarks	not determined	
<b>Solubility(ies)</b>		



Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

Remarks not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Vapour pressure**

Remarks not determined

**Density and/or relative density**

Value	0,97		g/cm <sup>3</sup>
Temperature	20	°C	

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**



Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rat	
LD50	> 5000	mg/kg
Method	OECD 401	
Remarks	Test conducted with a similar formulation.	

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rabbit	
LD50	> 3160	mg/kg
Method	OECD 402	

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute inhalative toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rat	
LC50	> 5266	mg/m <sup>3</sup>
Duration of exposure	4	h
Administration/Form	Dust/Mist	
Method	OECD 403	

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Aspiration hazard (Components)**

Trade name: Biopor AB fluorescent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Harmful: may cause lung damage if swallowed.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Other information**

No toxicological data are available.

**SECTION 12: Ecological information****12.1. Toxicity****General information**

not determined

**Fish toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	rainbow trout ( <i>Oncorhynchus mykiss</i> )	
NOELR	> 1000	mg/l
Duration of exposure	28	d
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Daphnia toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	<i>Acartia tonsa</i>	
LL50	> 3193	mg/l
Duration of exposure	48	h
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	<i>Daphnia magna</i>	
NOELR	5	mg/l
Duration of exposure	21	d
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Algae toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	<i>Skeletonema costatum</i>	
EL50	> 3200	mg/l
Duration of exposure	72	h
Remarks	The details of the toxic effect relate to the nominal concentration.	

**Bacteria toxicity (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Species	activated sludge	
EC50	> 100	mg/l
Duration of exposure	3	h
Method	OECD 209	

**12.2. Persistence and degradability****General information**

not determined

**Biodegradability (Components)**





Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

Value 74 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

**12.3. Bioaccumulative potential****General information**

not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Octanol/water partition coefficient (log Pow) (Components)****Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics**

log Pow 5,22 to 9,67

Temperature 20 °C

**12.4. Mobility in soil****General information**

not determined

**12.5. Results of PBT and vPvB assessment****General information**

not determined

**Results of PBT and vPvB assessment**

The product contains no PBT substances

The product contains no vPvB substances.

**12.6 Endocrine disrupting properties****Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects****General information**

not determined

**General information / ecology**

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.



Trade name: Biopor AB fluoreszent Comp. B

Substance number: S0006

Version: 1 / GB

Date revised: 08.08.2023

Replaces Version: - / GB

Print date: 08.08.2023

**SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
<b>14.1. UN number or ID number</b>	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
<b>14.2. UN proper shipping name</b>	-	-	-
<b>14.3. Transport hazard class(es)</b>		-	-
Label			
<b>14.4. Packing group</b>		-	-

**SECTION 15: Regulatory information****15.2. Chemical safety assessment**

For this preparation a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Hazard statements listed in Chapter 2/3**

H304 May be fatal if swallowed and enters airways.

**CLP categories listed in Chapter 2/3**

Asp. Tox. 1 Aspiration hazard, Category 1

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
 This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.